

---

# Mitsubishi Patents

Matching "Mitsubishi" by Owner.

**IPMonitor**  
Patents

---

# Contents

|  |    |
|--|----|
| Alerts   | 3  |
| "Mitsubishi"                                       | 3  |
| Terms and Conditions                               | 26 |
| General  | 26 |
| Disclaimer of warranty and limitation of liability | 26 |
| Copyright  | 26 |
| Arbitration  | 26 |

# Alerts

## "Mitsubishi"

More than 500 results matching "Mitsubishi" by Owner.

| Number                     | Title   | Owner   |
|----------------------------|---|---|
| <a href="#">2002304056</a> | NONAQUEOUS ELECTROLYTIC SECONDARY BATTERY   | MITSUBISHI CHEMICAL CORPORATION ; A AND T BATTERY CORPORATION |
| <a href="#">2002304108</a> | Total heat exchange element-use paper   | Mitsubishi Paper Mills Limited                                |
| <a href="#">2002304096</a> | MEDICINAL COMPOSITION CONTAINING MUCIN  | MITSUBISHI PHARMA CORPORATION                                 |
| <a href="#">2002304112</a> | ELECTRICALLY INSULATING OIL COMPOSITION   | NIPPON MITSUBISHI OIL CORPORATION                             |
| <a href="#">2002306216</a> | PACKET TRANSMISSION METHOD, RELAY APPARATUS, AND TERMINAL APPARATUS                                   | MITSUBISHI DENKI KABUSHIKI KAISHA                             |
| <a href="#">2002306285</a> | LITHIUM SECONDARY CELL  | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002306300</a> | AZASUGAR COMPOUNDS  | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002306313</a> | PROCESS FOR PRODUCING AMMONIUM CERIUM(IV) NITRATE   | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002309055</a> | ELECTROLYTIC SOLUTION FOR ELECTROLYTIC CAPACITOR AND ELECTROLYTIC CAPACITOR USING IT                  | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002311221</a> | PHOTOCHROMIC MATERIAL AND COLOR DOSE METER USING THE SAME   | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002308995</a> | AUTOMATIC OPERATING UNIT OF MAN CONVEYOR  | MITSUBISHI DENKI KABUSHIKI KAISHA                             |
| <a href="#">2002306245</a> | DEVICE AND METHOD FOR DETECTING TRACE AMOUNTS OF ORGANIC COMPONENTS                                   | MITSUBISHI HEAVY INDUSTRIES, LTD.                             |
| <a href="#">2002306219</a> | RUBRICATING OIL COMPOSITION   | NIPPON MITSUBISHI OIL CORPORATION                             |
| <a href="#">2002313205</a> | ELECTRONIC DISPLAY-USE FILTER AND ELECTRONIC DISPLAY UNIT USING THE FILTER                            | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002313229</a> | CARBON NANOTUBE AND METHOD FOR PRODUCTION THEREOF   | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002314916</a> | METHODS AND APPARATUS FOR ANALYZING AND REPAIRING MEMORY  | MITSUBISHI ELECTRIC CORPORATION                               |
| <a href="#">2002313309</a> | AMIDE COMPOUND AND MEDICINAL USE THEREOF  | MITSUBISHI PHARMA CORPORATION                                 |
| <a href="#">2002313894</a> | POLYPEPTIDES RELATING TO SIGNAL TRANSFER OF ADVANCED GLYCATION END PRODUCT RECEPTOR                   | MITSUBISHI PHARMA CORPORATION                                 |
| <a href="#">2002315819</a> | Method of manufacturing compound with biocatalyst by using controlled reaction temperature            | Mitsubishi Rayon Co., Ltd.                                    |
| <a href="#">2002317402</a> | Pharmaceutical composition comprising lipids comprising a polar and a nonpolar moiety                 | Mitsubishi Chemical Corporation                               |
| <a href="#">2002318629</a> | NON-AQUEOUS ELECTROLYTE AND SECONDARY CELL USING THE SAME   | MITSUBISHI CHEMICAL CORPORATION                               |
| <a href="#">2002318748</a> | HIGH PURITY QUARTZ POWDER AND METHOD FOR PRODUCTION THEREOF, AND FORMED GLASS ARTICLE FROM THE POWDER | MITSUBISHI CHEMICAL CORPORATION                               |

| Number                     | Title  | Owner   |
|----------------------------|--|---|
| <a href="#">2002318761</a> | NON-AQUEOUS ELECTROLYTIC SOLUTION AND NON-AQUEOUS ELECTROLYTIC SOLUTION SECONDARY CELL USING THE SAME                                      | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002318762</a> | Production Process For Methanol  | Mitsubishi Heavy Industries, Ltd.   |
| <a href="#">2002318529</a> | HOLLOW FIBER HAVING INNER WALL INTO WHICH COMB POLYMER IS INTRODUCED, HOLLOW FIBER IMPREGNATED WITH GEL, AND FIBER ARRAY THIN SECTION      | MITSUBISHI RAYON CO., LTD.  |
| <a href="#">2002323912</a> | SURFACE PLASMON RESONANCE SENSOR CHIP, AND SAMPLE ANALYSIS METHOD AND ANALYSIS APPARATUS USING THE SAME                                    | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002320686</a> | DEVICE FOR FORMING CARBON FILM ON INNER SURFACE OF PLASTIC VESSEL, AND METHOD OF PRODUCING INNER SURFACE CARBON FILM COATED PLASTIC VESSEL | MITSUBISHI HEAVY INDUSTRIES, LTD.   |
| <a href="#">2002321192</a> | PRESS ASSEMBLY   | MITSUBISHI HITEC PAPER FLENSBURG GMBH   |
| <a href="#">2002323943</a> | POWDER COMPACTING METHOD AND POWDER COMPACTING SYSTEM  | MITSUBISHI MATERIALS CORPORATION  |
| <a href="#">2002325540</a> | METHOD AND APPARATUS FOR RECYCLING HYDROCARBON RESOURCE  | MITSUBISHI MATERIALS CORPORATION  |
| <a href="#">2002324026</a> | Pharmaceutical compositions  | Mitsubishi Pharma Corporation   |
| <a href="#">2002320698</a> | DRUGS FOR AMELIORATING POSTCIBAL HYPERGLYCEMIA   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002321835</a> | MEDICAMENT INHIBITING SODIUM/ CALCIUM EXCHANGE SYSTEM  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002323807</a> | PREVENTIVES/REMEDIES FOR CHOLINERGIC NEUROPATHY  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002323782</a> | SEMICONDUCTOR SUBSTRATE, FIELD-EFFECT TRANSISTOR, AND THEIR MANUFACTURING METHODS  | SUMITOMO MITSUBISHI SILICON CORPORATION ; MITSUBISHI MATERIALS CORPORATION    |
| <a href="#">2002217466</a> | LITHIUM ION POLYMER SECONDARY CELL   | MITSUBISHI CABLE INDUSTRIES, LTD.   |
| <a href="#">2002233997</a> | WEIGHTED NOISE REDUCING DEVICE FOR PHOTSENSITIVE DRUM OF AN IMAGE FORMING APPARATUS  | MITSUBISHI CHEMICAL AMERICA, INC.   |
| <a href="#">2002217524</a> | LITHIUM SECONDARY CELL   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002222593</a> | COMPOSITION FOR COLOR FILTERS AND COLOR FILTERS  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002212689</a> | METAL-COATED FIBER AND ELECTROCONDUCTIVE COMPOSITION COMPRISING THE SAME, AND METHOD FOR PRODUCTION THEREOF AND USE THEREOF                | MITSUBISHI MATERIALS CORPORATION ; JAPAN ELECTRIC METALS CORPORATION, LIMITED |
| <a href="#">2002217540</a> | HYBRID POWER SYSTEM  | MITSUBISHI MATERIALS CORPORATION  |
| <a href="#">2002225354</a> | MARKING PEN WITH EXCELLENT CAP-OFF PERFORMANCE   | MITSUBISHI PENCIL KABUSHIKI KAISHA  |
| <a href="#">2002216409</a> | REMEDIES FOR HEPATITIS C   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002222685</a> | PITCHER TYPE WATER PURIFIER AND PURIFICATION CARTRIDGE FOR THE WATER PURIFIER  | MITSUBISHI RAYON CO., LTD.  |
| <a href="#">2001224020</a> | PRODUCTION DEVICE FOR DLC FILM-COATED PLASTIC CONTAINER AND PRODUCTION METHOD THEREFOR   | MITSUBISHI SHOJI PLASTICS CORPORATION ; YOUTEC CO., LTD.                      |

| Number                     | Title   | Owner   |
|----------------------------|---|---|
| <a href="#">2002328618</a> | METHOD OF PURIFYING HUMAN MANNOSE BINDING LECTIN, HUMAN MANNOSE BINDING LECTIN COMPOSITIONS AND MEDICINAL USE OF HUMAN MANNOSE BINDING LECTIN                                   | FUSO PHARMACEUTICAL INDUSTRIES, LTD. ; MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002328410</a> | Adhesive for gas barrier laminates and laminated films  | Mitsubishi Gas Chemical Company, Inc.   |
| <a href="#">2002328505</a> | WRITING IMPLEMENT   | MITSUBISHI PENCIL KABUSHIKIKAISHA   |
| <a href="#">2002328616</a> | WRITING IMPLEMENT   | MITSUBISHI PENCIL KABUSHIKIKAISHA   |
| <a href="#">2002328504</a> | INK-STORING BODY FOR WRITING UTENSIL  | MITSUBISHI PENCIL KABUSHIKI KAISHA  |
| <a href="#">2002326166</a> | ANTI-VIRAL AGENTS AND IN-VITRO METHOD FOR THE IDENTIFICATION OF CANDIDATES ABLE TO INHIBIT BINDING OF POLYMERASE TO EPSILON   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002327384</a> | REMEDIES FOR HEPATITIS C  | MITSUBISHI PHARMA CORPORATION ; JAPAN as represented by DIRECTOR GENERAL OF AGENCY OF NATIONAL INSTITUTE OF INFECTIOUS DISEASES |
| <a href="#">2002328553</a> | DRUGS COMPRISING COMBINATION OF ANTITHROMBOTIC AGENT WITH PYRAZOLONE DERIVATIVE   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002328639</a> | PREVENTIVE AND/OR REMEDIAL AGENT FOR DISEASE ATTRIBUTABLE TO ARTERIOSCLEROTIC ACTIVITY  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002330382</a> | Electronic Power Receiving Device   | Mitsubishi Denki Kabushiki Kaisha   |
| <a href="#">2002330493</a> | OXIDATION STRESS INHIBITOR AND METHOD OF MEASURING OXIDATION STRESS   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002225374</a> | NONAQUEOUS ELECTROLYTIC LIQUIDS AND LITHIUM SECONDARY BATTERY EMPLOYING THE SAME  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002226728</a> | Polyester resin, molded article thereof, and process for producing polyester resin  | Mitsubishi Chemical Corporation   |
| <a href="#">2002237805</a> | METHODS AND APPARATUS FOR FEATURE RECOGNITION TIME SHIFT CORRELATION  | MITSUBISHI ELECTRIC AND ELECTRONICS U.S.A., INC.  |
| <a href="#">2002219557</a> | BALL-POINT PEN REFILL   | MITSUBISHI PENCIL KABUSHIKIKAISHA   |
| <a href="#">2002225391</a> | CAP FOR WRITING IMPLEMENT   | MITSUBISHI PENCIL KABUSHIKI KAISHA  |
| <a href="#">2002226676</a> | WRITING IMPLEMENT, CAP FOR WRITING IMPLEMENT, AND METHOD OF ASSEMBLING CAP FOR WRITING IMPLEMENT  | MITSUBISHI PENCIL KABUSHIKI KAISHA  |
| <a href="#">2002332233</a> | DISTILLING EQUIPMENT FOR LASEOF-POLYMERIZATION COMPOUND   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002332234</a> | PERFLUOROALKYL-BEARING POLYSILOXANE, COMPOSITIONS CONTAINING THE SAME, COMPOSITIONS CONTAINING SILICON COMPONENTS AND FLUORINE COMPONENTS, AND DEICING AND SNOWREMOVING MEMBERS | MITSUBISHI CHEMICAL CORPORATION ; DAINIPPON SHIKIZAI KOUGYO CO., LTD.   |
| <a href="#">2002332246</a> | PROPYLENE POLYMER   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002332257</a> | METHOD FOR PRODUCING AROMATIC DICARBOXYLIC ACID   | MITSUBISHI CHEMICAL CORPORATION   |

| Number                     | Title  | Owner  |
|----------------------------|--|--|
| <a href="#">2003200229</a> | Method for determining an angle of crank arrangement in a multi-cylinder internal combustion engine and a multicylinder internal combustion engine using this method                               | Mitsubishi Heavy Industries, Ltd.  |
| <a href="#">2002332175</a> | THIAZOLIDINE DERIVATIVE AND MEDICINAL USE THEREOF  | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002332241</a> | PRODUCTION METHOD FOR SEMICONDUCTOR SUBSTRATE AND PRODUCTION METHOD FOR FIELD EFFECT TRANSISTOR AND SEMICONDUCTOR SUBSTRATE AND FIELD EFFECT TRANSISTOR  | SUMITOMO MITSUBISHI SILICON CORPORATION  |
| <a href="#">2002228329</a> | METHOD OF CONSTRUCTING THREE DIMENSIONAL STRUCTURE OF PROTEIN INVOLVING INDUCEDFIT AND UTILIZATION THEREOF   | MITSUBISHI CHEMICAL CORPORATION ; UMEYAMA, Hideaki   |
| <a href="#">2002228399</a> | BRANCHED AROMATIC POLYCARBONATE AND PROCESS FOR PRODUCING THE SAME   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002228413</a> | Process for producing (3R,5S)-(E)-7-[2-Cyclopropyl-4-(4-Fluor ophenyl)-Quinolin-3-yl]-3,5-Dihydroxyhe pt -6-enic acid esters   | Nissan Chemical Industries, Ltd. ; Mitsubishi Chemical Corporation                           |
| <a href="#">2002230161</a> | Polyester resin and method for production thereof  | Mitsubishi Chemical Corporation  |
| <a href="#">2002225430</a> | CREDIT/OBLIGATION ESTABLISHMENT SUPPORT SYSTEM   | MITSUBISHI CORPORATION   |
| <a href="#">2002225431</a> | REMITTANCE MANAGEMENT SYSTEM   | MITSUBISHI CORPORATION   |
| <a href="#">2002300420</a> | Control circuit for an air conditioner   | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2002228411</a> | Dihydropyrazolopyridine compounds and pharmaceutical use thereof   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002230206</a> | PROCESS FOR PRODUCING VINYLATED NUCLEIC ACID   | MITSUBISHI RAYON CO., LTD.   |
| <a href="#">2002335153</a> | RESIN COMPOSITIONS FOR COSMETICS AND COSMETICS   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002335466</a> | GAS INSULATED SWITCH   | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002335467</a> | VACUUM BEAKER  | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002335519</a> | SULFUR FREE CUTTING STEEL FOR MACHINE STRUCTURAL USE   | MITSUBISHI STEEL MFG. CO.,LTD.   |
| <a href="#">2002334083</a> | IMAGE ANALYSIS   | MITSUBISHI ELECTRIC INFORMATION TECHNOLOGY CENTRE EUROPE B.V.                                |
| <a href="#">2002226726</a> | Tooth bleaching agents and methods of bleaching teeth  | Mitsubishi Gas Chemical Company, Inc. ; Japan Industrial Technology Association ; Nonami, T. |
| <a href="#">2002232205</a> | WRITING IMPLEMENT  | MITSUBISHI PENCIL KABUSHIKIKAISHA  |
| <a href="#">2002234880</a> | LIGHT GUIDING BODY, LIGHT REFLECTIVE SHEET, SURFACE LIGHT SOURCE DEVICE AND LIQUID CRYSTAL DISPLAY DEVICE USING THE LIGHT REFLECTIVE SHEET, AND METHOD OF MANUFACTURING THE LIGHT REFLECTIVE SHEET | YUKA DENSHI CO., LTD. ; MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2002338042</a> | CRYPTOGRAPHIC COMMUNICATION APPARATUS  | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002338100</a> | ELEVATOR DEVICE  | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002337625</a> | Dewatering device and method for gas hydrate slurrys   | MITSUBISHI HEAVY INDUSTRIES, LTD.  |
| <a href="#">2002337498</a> | 3-substituted-4-pyrimidone derivatives   | Mitsubishi Pharma Corporation ; Sanofi-Aventis   |
| <a href="#">2002337499</a> | 3-substituted-4-pyrimidone derivatives   | Mitsubishi Pharma Corporation ; Sanofi-Aventis   |

| Number                     | Title  | Owner  |
|----------------------------|--|--|
| <a href="#">2002338102</a> | THROMBUS/THROMBOGENESIS INHIBITORS   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002232242</a> | LIQUID DISTRIBUTION UNIT AND ABSORBENT PRODUCT HAVING THE SAME   | JAPAN ABSORBENT TECHNOLOGY INSTITUTE ; MITSUBISHI CORPORATION  |
| <a href="#">2002237523</a> | ADSORPTION HEAT PUMP, AND USE OF ADSORPTION MATERIAL AS ADSORPTION MATERIAL FOR ADSORPTION HEAT PUMP   | MITSUBISHI CHEMICAL CORPORATION ; DENSO CORPORATION  |
| <a href="#">2002237529</a> | PROCESS FOR PREPARATION OF POLYFLUOROALKYLSULFENYL COMPOUNDS   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002233682</a> | QUINAZOLINE DERIVATIVES  | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002233703</a> | COMPOSITIONS WITH CONTROLLED DRUG RELEASE  | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002343812</a> | METHOD OF COLLECTING ACRYLIC ACID  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002344575</a> | METHOD FOR PRODUCING TRANS1,4-CYCLOHEXANE DICARBOXYLIC ACID  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002344613</a> | METHOD FOR PURIFYING (METH)ACRYLIC ACID  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002344628</a> | STORAGE TANK FOR EASILY POLYMERIZABLE COMPOUND AND STORAGE METHOD  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002344450</a> | THERMAL AIR FLOW RATE SENSOR   | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002344594</a> | Method and device for generating uniform high-frequency plasma over large surface area used for plasma chemical vapor deposition apparatus   | Mitsubishi Heavy Industries, Ltd.  |
| <a href="#">2002340832</a> | INKJET PRINTING RECORDING MATERIAL   | MITSUBISHI HITEC PAPER FLENSBURG GMBH  |
| <a href="#">2002343985</a> | SUSTAINED-RELEASE FINE PARTICLE AND PROCESS FOR PRODUCING THE SAME   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002343923</a> | DEVICE FOR ELECTROPHORESIS, ELECTROPHORETIC EQUIPMENT, ELECTROPHORETIC METHOD, AND SPECIMEN DETECTION METHOD   | MITSUBISHI RAYON CO., LTD.   |
| <a href="#">2002342798</a> | Substituted 2-pyrimidinyl-6,7,8,9-tetrahydropyrimido [1,2-a]pyrimidin-4-one and 7-pyrimidinyl-2,3-dihydroimidazo[1,2-a] pyrimidin-5(1H)one derivatives for neurodegenerative disorders | Mitsubishi Pharma Corporation ; Sanofi-Aventis   |
| <a href="#">2002225359</a> | AZEOTROPIC DISTILLATION METHOD   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002233645</a> | AZEOTROPIC DISTILLATION PROCESS  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2001274507</a> | CALCIUM PHOSPHATE CEMENT   | MITSUBISHI MATERIALS CORPORATION   |
| <a href="#">2001274508</a> | CALCIUM PHOSPHATE CEMENT   | MITSUBISHI MATERIALS CORPORATION   |
| <a href="#">2002346317</a> | METHOD FOR PRODUCING DIALKYL CARBONATE   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002346319</a> | Shared data refining device and shared data refining method  | Mitsubishi Denki Kabushiki Kaisha ; Communications Research Laboratory, Independent Administrative Institution |
| <a href="#">2002346236</a> | TOOL, DEVICE, AND METHOD FOR DRILLING  | MITSUBISHI MATERIALS CORPORATION ; NIPPON DIAMOND CO., LTD.  |
| <a href="#">2002346218</a> | WRITING MATERIAL AND INK ABSORBER PRODUCTION METHOD  | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2002346162</a> | CELL DEATH INDUCERS FOR MAST CELLS   | MITSUBISHI PHARMA CORPORATION  |



| Number                     | Title   | Owner   |
|----------------------------|---|---|
| <a href="#">2002234965</a> | POLYESTER NONWOVEN FABRIC, NONWOVEN FABRIC PRODUCT THEREOF AND VARIOUS PRODUCTS USING THE NONWOVEN FABRICS REINFORCING MATERIAL | MITSUBISHI BURLINGTON CO.,LTD. ; UNITIKA FIBERS LTD.  |
| <a href="#">2002230115</a> | BISPHENOL COMPOUND COMPOSITION WITH EXCELLENT THERMAL STABILITY   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002233680</a> | OPTICAL INFORMATION RECORDING MEDIUM AND RECORDING / ERASING METHOD   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002237543</a> | METHOD FOR PRODUCING A MATERIAL CONTAINING MODIFIED SULFUR  | NIPPON MITSUBISHI OIL CORPORATION ; NICHIMARU CO., LTD.   |
| <a href="#">2002347327</a> | Post-coated liposome/lipoplex for targeted drug/gene delivery and lipid linked to a delivery, targeting or stabilising moiety   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002349434</a> | METHOD OF RECOVERING POLYMERIZATION INHIBITOR AND PROCESS FOR PRODUCING ACRYLIC ACID  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002349436</a> | METHOD FOR REMOVING METAL IN WASTEWATER   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002349457</a> | CATALYST FOR POLYCONDENSATION AND PROCESS FOR PRODUCING POLYESTER WITH THE SAME   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002349692</a> | OXIDATION REACTOR, METHOD FOR PRODUCING (METH)ACRYLIC ACID OR THE LIKE, AND METHOD FOR ANALYZING EASILY POLYMERIZABLE COMPOUND  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002349699</a> | PIPELINE TRANSPORTATION METHOD FOR LASEOF-POLYMERIZATION LIQUID   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002349756</a> | METHOD OF PURIFYING (METH)ACRYLIC ESTER   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002349548</a> | FOLDABLE HEAT RADIATING SHEET   | MITSUBISHI CHEMICAL FUNCTIONAL PRODUCTS, INC.   |
| <a href="#">2002349421</a> | CELLULAR PHONE  | MITSUBISHI DENKI KABUSHIKI KAISHA   |
| <a href="#">2002349501</a> | DRIVE MECHANISM AND VACUUM BREAKER FOR VACUUM SWITCH TUBE   | MITSUBISHI DENKI KABUSHIKI KAISHA   |
| <a href="#">2002349765</a> | Gateway and gateway setting tool  | Mitsubishi Denki Kabushiki Kaisha   |
| <a href="#">2002349686</a> | SOLID OXIDE FUEL CELL AND PRODUCTION METHOD THEREFOR  | THE KANSAI ELECTRIC POWER CO., INC. ; JAPAN FINE CERAMICS CENTER ; MITSUBISHI MATERIALS CORPORATION |
| <a href="#">2001292309</a> | PROCESS FOR PRODUCING ALDEHYDE  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2002232252</a> | PREVENTIVES AND/OR REMEDIES FOR KIDNEY DISEASES AND KIDNEY FAILURE  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002234926</a> | REMEDIES FOR ARTHRITIS DEFORMANS AND REMEDIES FOR RHEUMATOID ARTHRITIS  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002236296</a> | REMEDIES AND/OR PREVENTIVES FOR DIABETIC ISCHEMIC HEART DISEASES  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002237570</a> | THERAPEUTIC AND/OR PREVENTIVE AGENT FOR DIABETIC ISCHEMIC HEART DISEASE   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002238867</a> | LIQUID INTERFERON Alpha PREPARATIONS FOR INJECTION AND METHOD OF STABILIZING THE SAME   | MITSUBISHI PHARMA CORPORATION   |



| Number                     | Title  | Owner   |
|----------------------------|--|---|
| <a href="#">2002234961</a> | CHEMICAL LIQUID INJECTION PORT, AND CHEMICAL LIQUID CONTAINER HAVING THE SAME  | NIPRO CORPORATION ; MITSUBISHI PHARMA CORPORATION |
| <a href="#">2002354057</a> | METHOD FOR SUPPLYING ATMOSPHERE GAS  | mitsubishi chemical corporation                   |
| <a href="#">2002354063</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ESTER  | mitsubishi chemical corporation                   |
| <a href="#">2002354084</a> | Process for producing (meth) acrylic acid compound   | mitsubishi chemical corporation                   |
| <a href="#">2002354194</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ACID   | mitsubishi chemical corporation                   |
| <a href="#">2002354452</a> | Process for producing (meth)acrolein or (meth)acrylic acid   | mitsubishi chemical corporation                   |
| <a href="#">2002354469</a> | METHOD OF DECOMPOSING BYPRODUCT OF (METH)ACRYLIC ESTER PRODUCTION  | mitsubishi chemical corporation                   |
| <a href="#">2002355040</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ACID   | mitsubishi chemical corporation                   |
| <a href="#">2002355041</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ACID COMPOUND  | mitsubishi chemical corporation                   |
| <a href="#">2003200821</a> | Process for producing oxygen absorbing polyamide resin composition and oxygen absorbing polyamide resin composition produced by the process                  | Mitsubishi Gas Chemical Company, Inc.             |
| <a href="#">2002354470</a> | System for forming carbon film on inner surface of plastic container and method for producing plastic container having inner surface coated with carbon film | Mitsubishi Heavy Industries, Ltd.                 |
| <a href="#">2002354363</a> | METHOD OF ACTIVATING PROTEIN   | mitsubishi pharma corporation                     |
| <a href="#">2002355220</a> | CANCER DIAGNOSTICS   | mitsubishi pharma corporation                     |
| <a href="#">2002355221</a> | REMEDIES FOR MAMMARY CANCER  | mitsubishi pharma corporation                     |
| <a href="#">2002355691</a> | PHARMACEUTICAL PREPARATIONS CONTAINING AMINOBENZENESULFONIC ACID DERIVATIVES AS THE ACTIVE INGREDIENT  | mitsubishi pharma corporation                     |
| <a href="#">2002350487</a> | Substituted 2-pyridinyl-6,7,8,9tetrahydropyrimido[1,2-a]pyrimidin-4-one and 7-pyridinyl-2,3-dihydroimidazo[1,2-a]pyrimidin-5(1H)one derivatives              | Mitsubishi Pharma Corporation ; Sanofi-Aventis    |
| <a href="#">2002354318</a> | METHOD FOR PRODUCING SEMICONDUCTOR SUBSTRATE AND METHOD FOR FABRICATING FIELD EFFECT TRANSISTOR AND SEMICONDUCTOR SUBSTRATE AND FIELD EFFECT TRANSISTOR      | SUMITOMO MITSUBISHI SILICON CORPORATION           |
| <a href="#">2001239565</a> | Air conditioner and method of installing the air conditioner   | Mitsubishi Denki Kabushiki Kaisha                 |
| <a href="#">2001267867</a> | MULTIMEDIA COMMUNICATION DEVICE  | mitsubishi denki kabushiki kaisha                 |
| <a href="#">2002243007</a> | INTERNAL COMBUSTION ENGINE COMBUSTION DIAGNOSIS/CONTROL APPARATUS AND COMBUSTION DIAGNOSIS/CONTROL METHOD  | mitsubishi heavy industries, ltd.                 |
| <a href="#">2002244931</a> | GAS HYDRATE PRODUCTION DEVICE AND GAS HYDRATE DEHYDRATING DEVICE   | mitsubishi heavy industries, ltd.                 |
| <a href="#">2001274509</a> | KNEADED PRODUCT CONTAINING CALCIUM PHOSPHATE CEMENT AND METHOD FOR PREPARATION THEREOF   | mitsubishi materials corporation                  |

| Number                     | Title  | Owner  |
|----------------------------|--|--|
| <a href="#">2001274510</a> | KNEADING VESSEL, SYRINGE AND KNEADING DEVICE   | MITSUBISHI MATERIALS CORPORATION                                     |
| <a href="#">2002357503</a> | METHOD FOR VAPOR PHASE CATALYTIC OXIDATION   | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2002357504</a> | DEVICE AND METHOD FOR HANDLING LASE-OF-POLYMERIZATION SUBSTANCE, DEVICE FOR EXTRACTING LIQUID FROM DEVICE UNDER REDUCED PRESSURE, AND METHOD OF MANUFACTURING LASE-OF-POLYMERIZATION SUBSTANCE | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2002360050</a> | PROCESS FOR VAPOR-PHASE CATALYTIC OXIDATION AND PROCESS FOR PRODUCTION OF (METH)ACROLEIN OR (METH)ACRYLIC ACID   | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2003201861</a> | MULTIPIPE REACTOR, VAPOR PHASE CATALYTIC OXIDATION METHOD USING MULTIPIPE REACTOR, AND START-UP METHOD APPLIED TO MULTIPIPE REACTOR  | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2003201911</a> | METHOD OF PREVENTING CLOGGING OF APPARATUS FOR HANDLING (METH)ACRYLIC ACID AND ESTER THEREOF   | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2003201891</a> | RECORDING SHEET FOR WET ELECTROPHOTOGRAPHY   | MITSUBISHI PAPER MILLS LIMITED                                       |
| <a href="#">2002357613</a> | METHOD OF DETECTING ANTITELOMERASE ANTIBODY  | KANEKO, Shuichi ; MITSUBISHI KAGAKU MEDICAL, INC. ; MURAKAMI, Seishi |
| <a href="#">2001244712</a> | Encrypting device  | Mitsubishi Denki Kabushiki Kaisha                                    |
| <a href="#">2002239015</a> | DYNAMIC IMAGE RECEIVER AND DYNAMIC IMAGE TRANSMITTER   | MITSUBISHI DENKI KABUSHIKI KAISHA                                    |
| <a href="#">2002244970</a> | OIL COMPOSITION FOR CUTTING AND GRINDING BY ULTRA LOW VOLUME OIL FEED SYSTEM   | NIPPON MITSUBISHI OIL CORPORATION                                    |
| <a href="#">2002244966</a> | Desulfurizer and method of desulfurization   | Osaka Gas Co., Ltd ; Mitsubishi Heavy Industries, Ltd                |
| <a href="#">2002362191</a> | INK-JET RECORDING LIQUID AND PROCESS FOR PRODUCING THE SAME  | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2003202485</a> | PROCESS FOR PRODUCING HIGH PURITY (METH)ACRYLIC ACID   | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2003203234</a> | HIGH-PRESSURE HYDROGEN PRODUCING APPARATUS AND PRODUCING METHOD  | MITSUBISHI CORPORATION   |
| <a href="#">2003202517</a> | Nylon MXD6 based biaxially stretched polyamide film of low permeability to gases and production method thereof   | Mitsubishi Gas Chemical Company, Inc.                                |
| <a href="#">2002361134</a> | BOTTLE CONTAINER, BOTTLE, AND SCREW FORMING DEVICE   | MITSUBISHI MATERIALS CORPORATION                                     |
| <a href="#">2002361133</a> | INK FOLLOW-UP MATERIAL FOR WATER-BASE BALL PEN   | MITSUBISHI PENCIL KABUSHIKI KAISHA                                   |
| <a href="#">2002253638</a> | PHOSPHOR AND PRODUCTION METHOD THEREFOR  | KASEI OPTONIX, LTD. ; MITSUBISHI CHEMICAL CORPORATION                |
| <a href="#">2002244962</a> | PYRAZOLECARBOXAMIDE DERIVATIVE, INTERMEDIATE THEREFOR, AND PEST CONTROL AGENT CONTAINING THE SAME AS ACTIVE INGREDIENT   | MITSUBISHI CHEMICAL CORPORATION                                      |
| <a href="#">2002251460</a> | LITHIUM SECONDARY BATTERY  | MITSUBISHI CHEMICAL CORPORATION                                      |

| Number                     | Title  | Owner  |
|----------------------------|--|--|
| <a href="#">2002253594</a> | METHOD AND DEVICE FOR REGENERATIVE PROCESSING AND PRINTING   | MITSUBISHI CHEMICAL CORPORATION ;<br>MITSUBISHI HEAVY INDUSTRIES, LTD.       |
| <a href="#">2002251497</a> | POLYMORPH FORMS OF N- (2,3-DIMETHYL-5,6,7,8-TETRAHYDR OFURO(2,3-B)QUINOLIN-4-YL)-2-(2OXOPYRROLIDIN -1 -YL)ACETAMIDE  | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002251535</a> | CRYSTAL OF 6-(4-(4-PYRIDYLAMINO)PHENYL)-4, 5-DIHYDRO-3(2H)-PYRIDAZINONE HYDROCHLORIDE TRIHYDRATE   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002253651</a> | NOVEL BENZYLPIPERIDINE COMPOUND  | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2001248783</a> | HYBRIDIZATION PROBES   | MITSUBISHI RAYON CO., LTD. ; GENOX RESEARCH, INC.                            |
| <a href="#">2002249584</a> | SUSPENSION COIL SPRING   | MITSUBISHI STEEL MFG. CO., LTD.  |
| <a href="#">2002246364</a> | RUST-PREVENTIVE OIL COMPOSITION  | NIPPON MITSUBISHI OIL CORPORATION  |
| <a href="#">2002246365</a> | OIL FOR CUTTING AND GRINDING BY ULTRA LOW VOLUME OIL FEED SYSTEM AND FOR SLIDING SURFACE AND METHOD FOR CUTTING AND GRINDING BY ULTRA LOW VOLUME FEED SYSTEM USING THE OIL | NIPPON MITSUBISHI OIL CORPORATION  |
| <a href="#">2002251548</a> | METHOD OF CUTTING AND GRINDING REFRIGERATING MACHINE PARTS   | NIPPON MITSUBISHI OIL CORPORATION  |
| <a href="#">2002248005</a> | VISUAL FUNCTION IMPROVING AGENTS   | SENJU PHARMACEUTICAL CO., LTD. ;<br>MITSUBISHI PHARMA CORPORATION            |
| <a href="#">2003203427</a> | Encryptor, encrypting method, decryptor, decrypting method, and computer readable recording medium having program stored therein   | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2003203458</a> | Active sound reduction apparatus and active noise insulation wall having same  | Mitsubishi Heavy Industries, Ltd.  |
| <a href="#">2002251475</a> | BACTERICIDE CONTAINING PYRAZOLE AMIDE COMPOUND AS ACTIVE INGREDIENT  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002256441</a> | CONTROL SYSTEM AND USER INTERFACE FOR NETWORK OF INPUT DEVICES   | MITSUBISHI DIGITAL ELECTRONICS AMERICA, INC.                                 |
| <a href="#">2002255326</a> | STABLE HIGH-CONCENTRATION INJECTION CONTAINING PYRAZOLONE DERIVATIVE   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2002230199</a> | POROUS FILM AND ITS PRODUCTION PROCESS   | MITSUBISHI PLASTICS, INC.  |
| <a href="#">2002362274</a> | ADHESIVE TAPE FOR FLYING REEL CHANGE   | MITSUBISHI HITEC PAPER FLENSBURG GMBH  |
| <a href="#">2002256900</a> | METHOD FOR CLEANING SURFACE OF SUBSTRATE   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2001260619</a> | INTERNET COMMUNICATION SYSTEM, INTERNET COMMUNICATION METHOD, SESSION CONTROL SERVER, COMMUNICATION ADAPTER, COMMUNICATION RELAY SERVER AND PROGRAM                        | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002218482</a> | INTERNET COMMUNICATION SYSTEM  | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002258195</a> | BORING DEVICE AND BORING METHOD  | MITSUBISHI MATERIALS CORPORATION ;<br>NIPPON DIAMOND CO., LTD. ; SATO, Kusuo |
| <a href="#">2002256908</a> | FUSED HETEROCYCLIC COMPOUND AND MEDICINAL USE THEREOF  | MITSUBISHI PHARMA CORPORATION  |

| Number                     | Title   | Owner   |
|----------------------------|---|---|
| <a href="#">2001258764</a> | Device and method for pressure control of cargo tank of liquefied natural gas carrier             | Mitsubishi Heavy Industries, Ltd. ; Osaka Gas Co., Ltd. ; Nippon Yusen Kabushiki Kaisha ; Chiyoda Corporation |
| <a href="#">2002256915</a> | DRUG PREPARATIONS   | SSP CO., LTD. ; MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002256916</a> | MEDICINAL COMPOSITIONS  | SSP CO., LTD. ; MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002256917</a> | LIQUID DRUG PREPARATIONS  | SSP CO., LTD. ; MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002362718</a> | Process for production of (meth)acrylic compounds and method of distillation                      | Mitsubishi Chemical Corporation   |
| <a href="#">2001271029</a> | SEAL STRUCTURE OF CONTAINER AND DRAIN FILTER  | mitsubishi heavy industries, ltd.   |
| <a href="#">2001278748</a> | SYSTEM FOR PRODUCING DLC FILM COATED PLASTIC CONTAINER AND METHOD FOR PRODUCING THE SAME          | MITSUBISHI SHOJI PLASTICS CORPORATION ; YOUTEC CO., LTD.  |
| <a href="#">2002238893</a> | PREVENTIVE AGENT/REMEDIAL AGENT FOR CONSTIPATION PREDOMINANT IBS                                  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2002363199</a> | NOVEL HUMAN NMETHYL-D-ASPARATATE (NMDA) GLUTAMATE RECEPTOR POLYPEPTIDE AND GENE ENCODING THE SAME | KAZUSA DNA RESEARCH INSTITUTE FOUNDATION ; MITSUBISHI PHARMA CORPORATION ; IRITANI, Shuji ; MORI, Hiroshi     |
| <a href="#">2002300100</a> | Air filter and air conditioner  | Mitsubishi Denki Kabushiki Kaisha   |
| <a href="#">2002301517</a> | Polyamide Resin Composition   | Mitsubishi Gas Chemical Company, Inc.   |
| <a href="#">2002300204</a> | Method of manufacturing methanol  | Mitsubishi Heavy Industries, Ltd. ; Mitsubishi Gas Chemical Company, Inc.                                     |
| <a href="#">2002300205</a> | Method of manufacturing methanol  | Mitsubishi Heavy Industries, Ltd. ; Mitsubishi Gas Chemical Company, Inc.                                     |
| <a href="#">2002300206</a> | Method for manufacturing synthesis gas and method for manufacturing methanol                      | Mitsubishi Heavy Industries, Ltd. ; Mitsubishi Gas Chemical Company, Inc.                                     |
| <a href="#">2002301014</a> | Reacting method   | Mitsubishi Heavy Industries, Ltd. ; Mitsubishi Gas Chemical Company, Inc.                                     |
| <a href="#">2002301585</a> | Vehicle Body Side Structure   | Mitsubishi Jidosha Kogyo Kabushiki Kaisha ; Mitsubishi Jidosha Engineering Kabushiki Kaisha                   |
| <a href="#">2003204371</a> | Method for acquiring satellite  | Mitsubishi Denki Kabushiki Kaisha   |
| <a href="#">2003204306</a> | Dust cover receiving structure of shock absorber  | Showa Corporation ; Mitsubishi Jidosha Kogyo Kabushiki Kaisha   |
| <a href="#">2011219266</a> | CO2 recovery device and method for recovering CO2   | The Kansai Electric Power Co., Inc. ; Mitsubishi Heavy Industries, Ltd.                                       |
| <a href="#">2011211954</a> | System and method for recovering heat from CO2 recovery device                                    | The Kansai Electric Power Co., Inc. ; Mitsubishi Heavy Industries, Ltd.                                       |
| <a href="#">2001290281</a> | BROADCAST RECEIVER  | MITSUBISHI DENKI KABUSHIKI KAISHA   |
| <a href="#">2003204811</a> | Power-related amount measurement device   | Mitsubishi Denki Kabushiki Kaisha   |
| <a href="#">2003207275</a> | PREVENTIVE AND/OR THERAPEUTIC AGENT FOR CARDIAC DISORDER  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2003207265</a> | RNA-DNA LIGATION PRODUCT AND UTILIZATION THEREOF  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003207270</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ESTER   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003207271</a> | LASE-OF-POLYMERIZATION HANDLING DEVICE USING CHAMFERED PAT FLANGE                                 | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003208055</a> | PROCESS FOR PRODUCTION OF (METH)ACRYLIC ACID  | MITSUBISHI CHEMICAL CORPORATION   |

| Number                     | Title  | Owner  |
|----------------------------|--|--|
| <a href="#">2003207272</a> | PRINTED-CIRCUIT BOARD, ELECTRONIC PART HAVING SHIELD STRUCTURE, AND RADIO COMMUNICATION APPARATUS  | MITSUBISHI MATERIALS CORPORATION ; MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.  |
| <a href="#">2003208065</a> | COATED CUTTING TOOL MEMBER HAVING HARD COATING LAYER AND METHOD FOR FORMING THE HARD COATING LAYER ON CUTTING TOOL   | MITSUBISHI MATERIALS CORPORATION ; MMC KOBELCO TOOL CO., LTD.  |
| <a href="#">2003208070</a> | GAS PRESSURIZATION TYPE WRITING UTENSIL AND WRITING UTENSIL REFILL   | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2003208071</a> | GAS PRESSURIZATION TYPE WRITING UTENSIL AND WRITING UTENSIL REFILL   | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2003208072</a> | GAS PRESSURIZATION TYPE WRITING UTENSIL AND WRITING UTENSIL REFILL   | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2003208073</a> | WRITING UTENSIL, WRITING TIP WELDING METHOD, AND WRITING UTENSIL PARTS CONNECTING STRUCTURE AND CONNECTING METHOD  | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2003208618</a> | A process for preparing a phenylalanine derivative and intermediates thereof   | Mitsubishi Tanabe Pharma Corporation   |
| <a href="#">2001274568</a> | MOISTURE AND GAS BARRIER PLASTIC CONTAINER WITH PARTITION PLATES, AND DEVICE AND METHOD FOR MANUFACTURING THE PLASTIC CONTAINER                                  | MITSUBISHI SHOJI PLASTICS CORPORATION ; YOUTEC CO.,LTD.  |
| <a href="#">2001274627</a> | MANUFACTURING DEVICE FOR DLC FILM COATED PLASTIC CONTAINER, DLC FILM COATED PLASTIC CONTAINER, AND METHOD OF MANUFACTURING THE DLC FILM COATED PLASTIC CONTAINER | YOUTEC CO., LTD. ; MITSUBISHI SHOJI PLASTICS CORPORATION   |
| <a href="#">2002363405</a> | COMPOSITE OXIDE CATALYST AND METHOD FOR PREPARATION THEREOF  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002363648</a> | OXYGEN BARRIER COATING AND COATED FILM   | MITSUBISHI POLYESTER FILM, LLC   |
| <a href="#">2003211561</a> | MULTI-SERVICE RADIO COMMUNICATION SYSTEM   | COMMUNICATIONS RESEARCH LABORATORY, INDEPENDENT ADMINISTRATIVE INSTITUTION ; MITSUBISHI DENKI KABUSHIKI KAISHA ; HITACHI KOKUSAI ELECTRIC INC. |
| <a href="#">2003211889</a> | POLARIZATION RETAINING PHOTONIC CRYSTAL FIBER  | MITSUBISHI CABLE INDUSTRIES, LTD. ; NIPPON TELEGRAPH AND TELEPHONE CORPORATION   |
| <a href="#">2003211367</a> | NOVEL DEHYDROGENASE AND GENE ENCODING THE SAME   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003211509</a> | LIGHT EMITTING DEVICE AND ILLUMINATING DEVICE USING IT   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003211558</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ACID   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003211563</a> | GOLD PLATING SOLUTION AND METHOD FOR GOLD PLATING  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003211899</a> | Process for catalytic vapor phase oxidation  | Mitsubishi Chemical Corporation  |
| <a href="#">2003211968</a> | REWRITABLE OPTICAL RECORDING MEDIUM AND OPTICAL RECORDING METHOD   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003213312</a> | Block cipher apparatus using auxiliary transformation  | Mitsubishi Denki Kabushiki Kaisha ; Nippon Telegraph and Telephone Corporation   |



| Number                     | Title   | Owner  |
|----------------------------|---|--|
| <a href="#">2003213315</a> | Block cipher apparatus using auxiliary transformation   | Mitsubishi Denki Kabushiki Kaisha ; Nippon Telegraph and Telephone Corporation |
| <a href="#">2003213317</a> | Block cipher apparatus using auxiliary transformation   | Mitsubishi Denki Kabushiki Kaisha ; Nippon Telegraph and Telephone Corporation |
| <a href="#">2003213318</a> | Block cipher apparatus using auxiliary transformation   | Nippon Telegraph and Telephone Corporation ; Mitsubishi Denki Kabushiki Kaisha |
| <a href="#">2003211779</a> | DATA CONVERSION DEVICE AND DATA CONVERSION METHOD   | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2003211912</a> | Production system for corrugated cardboard sheets   | Mitsubishi Heavy Industries, Ltd.  |
| <a href="#">2003211783</a> | SOLID OXIDE FUEL CELL   | MITSUBISHI MATERIALS CORPORATION ; THE KANSAI ELECTRIC POWER CO., INC,         |
| <a href="#">2003211785</a> | SOLID OXIDE TYPE FUEL CELL AND SEPARATOR  | MITSUBISHI MATERIALS CORPORATION ; THE KANSAI ELECTRIC POWER CO., INC,         |
| <a href="#">2003211983</a> | DRUGS TO BE USED IN ORGAN TRANSPLANTATION   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2003213364</a> | PREVENTIVE AND/OR THERAPEUTIC AGENT FOR HYPOXIC ISCHEMIC BRAIN DISORDER   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2003213383</a> | TRANSFER PALETTE FOR FPC BOARD AND METHOD FOR MOUNTING SEMICONDUCTOR CHIP ON FPC BOARD  | MITSUBISHI PLASTICS, INC.  |
| <a href="#">2003211771</a> | ELECTRODE FOR SOLID OXIDE TYPE FUEL CELL AND SOLID OXIDE TYPE FUEL CELL   | MITSUBISHI MATERIALS CORPORATION ; THE KANSAI ELECTRIC POWER CO., INC,         |
| <a href="#">2003219901</a> | OPTICALLY ACTIVE PHOSPHITES AND PHOSPHORAMIDES BEARING BIPHENOL SKELETONS WITH AXIAL CHIRALITY, AND THEIR USE IN CATALYTIC ASYMMETRIC REACTIONS               | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003214127</a> | 1-[alkyl], 1-[heteroaryl]alkyl] and 1-[aryl]alkyl]-7-(pyrimidin-4-yl)-imidazo[ 1,2-a] pyrimidin-5(1H)-one derivatives   | Mitsubishi Pharma Corporation ; Sanofi-Aventis                                 |
| <a href="#">2002365995</a> | METHOD AND DEVICE FOR FEEDING POLYMERIZATION LIQUID   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2002366017</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ACID COMPOUNDS  | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003231444</a> | METHOD FOR PRODUCING ORGANIC ACID   | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003227512</a> | DEVICE AND METHOD FOR COLLECTING VAPOR GASOLINE   | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2002366022</a> | THROWAWAY TIP   | MITSUBISHI MATERIALS CORPORATION   |
| <a href="#">2002366015</a> | AQUEOUS INK COMPOSITION FOR BALL-POINT PEN  | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2002366016</a> | AQUEOUS INK COMPOSITION FOR BALL-POINT PEN  | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2003221028</a> | 3-HYDROXY-3-(2-THIENYL)PROPION AMIDE COMPOUND, PROCESS FOR PRODUCING THE SAME, AND PROCESS FOR PRODUCING 3-AMINO-1-(2-THIENYL)-1-PROPANO L COMPOUND THEREFROM | MITSUBISHI CHEMICAL CORPORATION  |
| <a href="#">2003221001</a> | OPTICAL FIBER CORE  | MITSUBISHI CABLE INDUSTRIES, LTD.  |
| <a href="#">2003220910</a> | PROCESS FOR PRODUCTION OF FULLERENES AND METHOD FOR SEPARATION THEREOF  | MITSUBISHI CHEMICAL CORPORATION  |

| Number                     | Title   | Owner   |
|----------------------------|---|---|
| <a href="#">2003221082</a> | Novel carbonyl reductase, gene encoding it and process for producing optically active alcohols using the same   | Nissan Chemical Industries, Ltd. ; Mitsubishi Chemical Corporation  |
| <a href="#">2003221108</a> | POSITIVE ELECTRODE MATERIAL FOR LITHIUM SECONDARY CELL AND SECONDARY CELL USING THE SAME, AND METHOD FOR PRODUCING POSITIVE ELECTRODE MATERIAL FOR LITHIUM SECONDARY CELL                           | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003221334</a> | NONAQUEOUS ELECTROLYTE AND LITHIUM-ION SECONDARY BATTERY CONTAINING THE SAME  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003221376</a> | PROCESS FOR PRODUCING BISPHENOL A   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003221185</a> | META DATA EDITION DEVICE, META DATA REPRODUCTION DEVICE, META DATA DISTRIBUTION DEVICE, META DATA SEARCH DEVICE, META DATA REPRODUCTION CONDITION SETTING DEVICE, AND META DATA DISTRIBUTION METHOD | MITSUBISHI DENKI KABUSHIKI KAISHA   |
| <a href="#">2003220860</a> | FUEL OILS, LUBRICANTS FOR FUEL OILS AND PRODUCTIVE FACILITIES FOR FUEL OILS   | MITSUBISHI GAS CHEMICAL COMPANY, INC. ; MITSUBISHI HEAVY INDUSTRIES, LTD. ; ITOCHU CORPORATION ; LION CORPORATION |
| <a href="#">2003221005</a> | METHOD OF WASTEWATER TREATMENT  | MITSUBISHI GAS CHEMICAL COMPANY, INC.   |
| <a href="#">2003220897</a> | INK HOLDING MEMBER FOR WRITING MATERIAL   | MITSUBISHI PENCIL KABUSHIKI KAISHA  |
| <a href="#">2003220886</a> | REMEDY FOR SLEEP DISTURBANCE  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2003221431</a> | PROCESS FOR PRODUCING IMMUNOGLOBULIN PREPARATION  | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2003227255</a> | DAP KINASE CRYSTALS, METHOD OF SCREENING CANDIDATE FOR DRUG TARGETING DAP KINASE USING THE SAME AND DRUG OBTAINED THEREBY   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2003227257</a> | MEDICINE FOR PREVENTION AND/ OR THERAPY OF CARDIOMYOPATHY   | MITSUBISHI PHARMA CORPORATION   |
| <a href="#">2003220832</a> | GAS BARRIER MATERIAL  | MITSUBISHI PLASTICS, INC.   |
| <a href="#">2003221500</a> | Heteroaryl substituted 2-pyridinyl and 2-pyrimidinyl - 6,7,8,9-tetrahydropyrimido[1,2-a] pyrimidin-4-one derivatives  | Mitsubishi Pharma Corporation ; Sanofi-Aventis  |
| <a href="#">2003221084</a> | ATTACHMENT FIXING/REMOVING DEVICE   | SHIN CATERPILLAR MITSUBISHI LTD.  |
| <a href="#">2003221316</a> | PROCESS FOR PRODUCING SILICON SINGLE CRYSTAL LAYER AND SILICON SINGLE CRYSTAL LAYER   | SUMITOMO MITSUBISHI SILICON CORPORATION   |
| <a href="#">2002366293</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ACID  | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003234837</a> | AMINE-FUNCTIONAL COPOLYMER AND PROCESS FOR PRODUCING THE SAME   | MITSUBISHI CHEMICAL CORPORATION   |
| <a href="#">2003235029</a> | Plant and method for producing liquefied natural gas  | Mitsubishi Heavy Industries, Ltd.   |
| <a href="#">2003234799</a> | WRITING UTENSIL   | MITSUBISHI PENCIL KABUSHIKI KAISHA  |
| <a href="#">2002217528</a> | OPTICAL SURGE SUPPRESSING CIRCUIT, AND OPTICAL SURGE SUPPRESSING METHOD   | MITSUBISHI DENKI KABUSHIKI KAISHA   |



| Number                     | Title  | Owner                                 |
|----------------------------|--|---------------------------------------|
| <a href="#">2002219566</a> | ELECTRONIC WATTHOUR METER, ERROR ADJUSTING METHOD THEREFOR AND POWER COMPUTING CIRCUIT   | MITSUBISHI DENKI KABUSHIKI KAISHA     |
| <a href="#">2002367344</a> | UP-WIND TYPE WINDMILL AND OPERATING METHOD THEREFOR  | MITSUBISHI HEAVY INDUSTRIES, LTD.     |
| <a href="#">2003235356</a> | CONTROLLER AND CONTROLLING METHOD OF SIDE MIRROR OF AUTOMOBILE   | MITSUBISHI CABLE INDUSTRIES, LTD.     |
| <a href="#">2003235144</a> | AQUEOUS POLYPROPYLENE DISPERSION, AQUEOUS POLYPROPYLENE COMPOSITE EMULSION COMPOSITION, AND USE THEREOF  | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003235405</a> | LIGHT-SENSITIVE BODY DRUM, METHOD AND DEVICE FOR ASSEMBLING THE DRUM, AND IMAGE FORMING DEVICE USING THE DRUM  | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003235407</a> | PROCESS FOR PRODUCING POLYESTER RESIN  | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003235438</a> | PROCESS FOR PRODUCING POLYESTER AND POLYESTER RESIN  | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003236012</a> | CATALYTIC COMBUSTION UNIT  | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003236060</a> | AROMATIC POLYCARBONATE, PROCESS FOR PRODUCING THE SAME, POLYCARBONATE COMPOSITION AND HOLLOW CONTAINER THEREFROM   | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003236062</a> | DIGITAL SIGNAL ENCODING DEVICE, DIGITAL SIGNAL DECODING DEVICE, DIGITAL SIGNAL ARITHMETIC ENCODING METHOD, AND DIGITAL SIGNAL ARITHMETIC DECODING METHOD | MITSUBISHI DENKI KABUSHIKI KAISHA     |
| <a href="#">2003235329</a> | CIRCUIT BOARD, PROCESS FOR PRODUCING THE SAME AND POWER MODULE   | MITSUBISHI MATERIALS CORPORATION      |
| <a href="#">2003236288</a> | CUTTING TOOL FOR SOFT MATERIAL   | MITSUBISHI MATERIALS CORPORATION      |
| <a href="#">2003235834</a> | WRITING INK ACCOMMODATING TUBE   | MITSUBISHI PENCIL KABUSHIKI KAISHA    |
| <a href="#">2003236359</a> | GEL HAVING BIOSUBSTANCE FIXED THERETO AND MICROARRAY UTILIZING THE GEL   | MITSUBISHI RAYON CO., LTD.            |
| <a href="#">2003236027</a> | PLASMA CVD FILM FORMING APPARATUS AND METHOD FOR MANUFACTURING CVD FILM COATING PLASTIC CONTAINER  | MITSUBISHI SHOJI PLASTICS CORPORATION |
| <a href="#">2003241718</a> | PHOTONIC CRYSTAL FIBER, METHOD OF MANUFACTURING THE CRYSTAL FIBER, AND METHOD OF CONNECTING THE FIBER  | MITSUBISHI CABLE INDUSTRIES, LTD.     |
| <a href="#">2003238580</a> | LIQUID DETERGENT FOR SEMICONDUCTOR DEVICE SUBSTRATE AND METHOD OF CLEANING   | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003239626</a> | NON-RIGID PROPYLENE RESIN COMPOSITION  | MITSUBISHI CHEMICAL CORPORATION       |
| <a href="#">2003239083</a> | INFORMATION NOTIFICATION METHOD, MOBILE COMMUNICATION SYSTEM, BASE STATION, AND MOBILE STATION   | MITSUBISHI DENKI KABUSHIKI KAISHA     |

| Number                     | Title  | Owner  |
|----------------------------|--|--|
| <a href="#">2003242437</a> | CRYSTALLINE SILICOALUMINOPHOSPHATE SALT MOLECULAR SIEVE HAVING OCTAOXYGENMEMBERED RING PORE, PROCESS FOR PRODUCING THE SAME AND PROCESS FOR PRODUCING METHYLAMINE WITH THE MOLECULAR SIEVE AS CATALYST | MITSUBISHI GAS CHEMICAL COMPANY, INC.  |
| <a href="#">2003242385</a> | NON-WOVEN FABRIC FOR SEPARATOR OF ALKALI CELL AND METHOD FOR PRODUCTION THEREOF  | MITSUBISHI PAPER MILLS LIMITED   |
| <a href="#">2003241705</a> | AUTOGRAPH INK ACCOMMODATING MEMBER   | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2003242439</a> | INK COMPOSITION FOR PRESSURIZED BALL-POINT PEN AND PRESSURIZED BALL-POINT PEN  | MITSUBISHI PENCIL KABUSHIKI KAISHA   |
| <a href="#">2003241898</a> | PREVENTIVES AND/OR REMEDIES FOR SUBJECTS WITH THE EXPRESSION OR ACTIVATION OF Her2 AND/ OR EGFR  | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2003242320</a> | MEDICINE FOR PREVENTION OF AND/OR TREATMENT FOR LIVER INSHEMIAREPERFUSION INJURY AND PROTECTIVE AGENT FOR TRANSPLANT LIVER   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2003242428</a> | DRUGS IMPROVED IN TISSUE SELECTIVITY   | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2003242357</a> | METHOD AND DEVICE FOR CLEANING RAW MATERIAL GAS INTRODUCTION TUBE USED IN CVD FILM FORMING APPARATUS   | MITSUBISHI SHOJI PLASTICS CORPORATION  |
| <a href="#">2003239618</a> | PREVENTIVE OR THERAPEUTIC AGENTS FOR NEURODEGENERATIVE DISEASES  | PRESIDENT OF NATIONAL CENTER OF NEUROLOGY AND PSYCHIATRY ; MITSUBISHI PHARMA CORPORATION |
| <a href="#">2003244321</a> | PICKED-UP IMAGE DISPLAY METHOD   | MITSUBISHI DENKI KABUSHIKI KAISHA  |
| <a href="#">2003244324</a> | COATED CUTTING TOOL MEMBER   | MITSUBISHI MATERIALS CORPORATION   |
| <a href="#">2003244456</a> | OIL-BASE BALLPOINT INK COMPOSITION AND OILY BALLPOINT PENS   | MITSUBISHI PENCIL CO., LTD.  |
| <a href="#">2003244205</a> | METHOD OF EXAMINING AND DIAGNOSING INTEGRATION DYSFUNCTION SYNDROME  | MITSUBISHI PHARMA CORPORATION  |
| <a href="#">2003244167</a> | CONDUCTIVE RESIN FILM, COLLECTOR AND PRODUCTION METHODS THEREFORE  | MITSUBISHI PLASTICS, INC.  |
| <a href="#">2003244091</a> | MICRO ARRAY FOR DETECTING LIVING BODY-RELATED SUBSTANCES AND METHOD OF MANUFACTURING THE MICRO ARRAY   | MITSUBISHI RAYON CO., LTD.   |
| <a href="#">2003244311</a> | ROTARY TYPE MASS-PRODUCING CVD FILM FORMING DEVICE AND METOD OF FORMING CVD FILM ON SURFACE IN PLASTIC CONTEINER   | MITSUBISHI SHOJI PLASTICS CORPORATION  |
| <a href="#">2003248001</a> | Emergency communication service providing method and device  | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2003246333</a> | Polyester-based resin composition  | Mitsubishi Gas Chemical Company, Inc.  |
| <a href="#">2003248273</a> | ANALYTICAL CHIP, ANALYTICAL CHIP UNIT, ANALYZING APPARATUS, METHOD OF ANALYSIS USING THE APPARATUS, AND METHOD OF PRODUCING THE ANALYTICAL CHIP  | MITSUBISHI CHEMICAL CORPORATION  |

| Number                     | Title   | Owner   |
|----------------------------|---|---|
| <a href="#">2003248318</a> | Satellite communication system, receiving earth station and communication satellite switching method  | Mitsubishi Denki Kabushiki Kaisha                                 |
| <a href="#">2003248319</a> | Motion picture transmission system, transmission system for emergency medical service and motion picture transmitting device                              | Mitsubishi Denki Kabushiki Kaisha                                 |
| <a href="#">2003248203</a> | Integrated sprocket and housing and manufacturing method therefor   | Mitsubishi Materials Corporation                                  |
| <a href="#">2003248270</a> | BIODEGRADABLE LAMINATE SHEET AND MOLDED ITEM FROM BIODEGRADABLE LAMINATE SHEET  | MITSUBISHI PLASTICS, INC.   |
| <a href="#">2003252215</a> | WATER-SOLUBLE COMPLEX DYE, RECORDING FLUID, AND METHOD OF RECORDING   | MITSUBISHI CHEMICAL CORPORATION                                   |
| <a href="#">2003252216</a> | WATER-SOLUBLE COMPLEX DYE, RECORDING FLUID, AND METHOD OF RECORDING   | MITSUBISHI CHEMICAL CORPORATION                                   |
| <a href="#">2003252217</a> | WATER-SOLUBLE COMPLEX DYE, RECORDING FLUID, AND METHOD OF RECORDING   | MITSUBISHI CHEMICAL CORPORATION                                   |
| <a href="#">2003252289</a> | FIELD EFFECT TRANSISTOR   | MITSUBISHI CHEMICAL CORPORATION                                   |
| <a href="#">2003248462</a> | Satellite broadcasting method, and base station and mobile station for use with satellite broadcasting method   | Mitsubishi Denki Kabushiki Kaisha                                 |
| <a href="#">2003248464</a> | Satellite communication method, and mobile station and gateway station for use with the satellite communication method                                    | Mitsubishi Denki Kabushiki Kaisha                                 |
| <a href="#">2003248465</a> | Satellite communication method, and satellite communication apparatus, earth station, and gateway station for use with the satellite communication method | Mitsubishi Denki Kabushiki Kaisha                                 |
| <a href="#">2003252237</a> | DISTRIBUTED SIGNAL CONTROL SYSTEM   | MITSUBISHI HEAVY INDUSTRIES, LTD. ; MITSUBISHI CORPORATION        |
| <a href="#">2003250539</a> | DIHYDROPYRAZOLOPYRIDINE COMPOUNDS   | MITSUBISHI PHARMA CORPORATION                                     |
| <a href="#">2003252318</a> | REGULATOR FOR MENTAL DISEASE RISK FRAGILITY   | MITSUBISHI PHARMA CORPORATION                                     |
| <a href="#">2003252397</a> | DRUGS FOR PREVENTING AND/OR TREATING SPINAL INJURY  | MITSUBISHI PHARMA CORPORATION                                     |
| <a href="#">2009354701</a> | Tank-type vacuum interrupter  | MITSUBISHI ELECTRIC CORPORATION                                   |
| <a href="#">2010317326</a> | Air conditioner   | Mitsubishi Electric Corporation                                   |
| <a href="#">2002300117</a> | Refrigerant distributor and air conditioner using the same  | Mitsubishi Denki Kabushiki Kaisha                                 |
| <a href="#">2003252855</a> | Gas-barrier multi-layer structure   | Mitsubishi Gas Chemical Company, Inc.                             |
| <a href="#">2002258242</a> | SULFUR-CONTAINING FREECUTTING STEEL   | YOSHIMURA TECHNICAL OFFICE INC. ; MITSUBISHI STEEL MFG. CO., LTD. |
| <a href="#">2003254787</a> | METHOD OF PURIFYING BISPHENOL A CONTAINING PHENOL   | Mitsubishi Chemical Corporation                                   |
| <a href="#">2003254791</a> | PROCESS FOR PRODUCTION OF AMIDES  | MITSUBISHI CHEMICAL CORPORATION                                   |
| <a href="#">2003254811</a> | Polyester resin and method for production thereof   | Mitsubishi Chemical Corporation                                   |
| <a href="#">2003254812</a> | IMAGE FORMING MATERIAL HAVING BLuish-VIOLET LASERPHOTOSENSITIVE RESIST MATERIAL LAYER AND RESIST IMAGE FORMING METHOD THEREFOR                            | MITSUBISHI CHEMICAL CORPORATION                                   |

| Number                     | Title  | Owner   |
|----------------------------|--|---|
| <a href="#">2003254907</a> | PROCESS FOR PRODUCING POLYESTER  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003254954</a> | METHOD OF VAPOR PHASE CATALYTIC OXIDATION USING MULTITUBULAR REACTOR                     | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003255152</a> | PROCESS FOR PRODUCING AROMATIC CARBONATE   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003254803</a> | SLIDING PART AND METHOD OF MANUFACTURING THE SLIDING PART                                | MITSUBISHI MATERIALS CORPORATION                      |
| <a href="#">2003257850</a> | ANTIBODY SPECIFIC TO CENTRAL Tau-PROTEIN   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003257591</a> | PREVENTIVE AND/OR THERAPEUTIC AGENT FOR HEART FAILURE                                    | MITSUBISHI PHARMA CORPORATION                         |
| <a href="#">2003257522</a> | Papermaking press felt and press apparatus for a papermaking machine                     | Ichikawa Co., Ltd. ; Mitsubishi Heavy Industries, Ltd |
| <a href="#">2003262022</a> | NUMERICAL CALCULATION DEVICE AND NUMERICAL CALCULATION PROGRAM                           | THE BANK OF TOKYO-MITSUBISHI,LTD. ; FUJITSU LIMITED   |
| <a href="#">2003261845</a> | COLOR LIQUID CRYSTAL DISPLAY UNIT  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003261956</a> | SEMICONDUCTOR LIGHT-EMITTING DEVICE AND SEMICONDUCTOR LIGHT-EMITTING DEVICE MODULE       | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003261967</a> | OPTICAL INFORMATION RECORDING MEDIUM   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003262016</a> | SEMICONDUCTOR LASER  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003262041</a> | AUTHENTICATION SYSTEM, AUTHENTICATION DEVICE, TERMINAL DEVICE, AND AUTHENTICATION METHOD | MITSUBISHI DENKI KABUSHIKI KAISHA                     |
| <a href="#">2003262096</a> | QUANTUM KEY DISTRIBUTION METHOD AND COMMUNICATION DEVICE                                 | MITSUBISHI DENKI KABUSHIKI KAISHA                     |
| <a href="#">2003261858</a> | SEPARATOR, REACTOR, AND PROCESS FOR PRODUCING AROMATIC CARBOXYLIC ACID                   | MITSUBISHI HEAVY INDUSTRIES, LTD.                     |
| <a href="#">2003262248</a> | ROTATION TRANSMISSION MEMBER, ROTATION TRANSMISSION ASSEMBLY, AND GEAR MECHANISM         | MITSUBISHI MATERIALS CORPORATION                      |
| <a href="#">2003261975</a> | CAPLESS WRITING IMPLEMENT  | MITSUBISHI PENCIL CO., LTD.                           |
| <a href="#">2003261815</a> | INHIBITORS FOR EXCESSIVE ACCUMULATION OF SODIUM ION IN CELLS                             | MITSUBISHI PHARMA CORPORATION                         |
| <a href="#">2003261968</a> | PROTECTIVE AGENTS FOR TRANSPLANTED ORGAN   | MITSUBISHI PHARMA CORPORATION                         |
| <a href="#">2003261789</a> | METHOD OF ELIMINATING BORON CONTAMINATION OF ANNEALED WAFER                              | SUMITOMO MITSUBISHI SILICON CORPORATION               |
| <a href="#">2003262239</a> | EPITAXIAL WAFER AND ITS MANUFACTURING METHOD   | SUMITOMO MITSUBISHI SILICON CORPORATION               |
| <a href="#">2002249596</a> | SYSTEM AND METHOD FOR FORMING DLC FILM ON INNER SURFACE OF PLASTIC CONTAINER             | MITSUBISHI SHOJI PLASTICS CORPORATION                 |
| <a href="#">2003264366</a> | PROCESS FOR PRODUCING (METH)ACRYLIC ACID COMPOUND  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003264343</a> | METHOD FOR SEPARATING PLATINUM GROUP ELEMENT   | MITSUBISHI MATERIALS CORPORATION                      |
| <a href="#">2003264397</a> | PREVENTIVE AND/OR THERAPEUTIC DRUGS FOR INFLAMMATORY INTESTINAL DISEASES                 | MITSUBISHI PHARMA CORPORATION                         |

| Number                     | Title  | Owner  |
|----------------------------|--|--|
| <a href="#">2003264417</a> | CRYSTAL OF 2-AMINO-6-(4-METHOXYPHENYLTHIO)-9-(2-(PHOSPHONOMETHOXY)ETHYL)PURINE BIS(2,2,2-TRIFLUOROETHYL) ESTER   | mitsubishi pharma corporation  |
| <a href="#">2003264393</a> | FLAME-RETARDANT RESIN COMPOSITION AND FLAME-RETARDANT INJECTION MOLDING  | mitsubishi plastics, inc.  |
| <a href="#">2003264403</a> | FUEL CELL SEPARATOR  | mitsubishi plastics, inc.  |
| <a href="#">2003264437</a> | THERMAL SHIELD MEMBER OF SILICON SINGLE CRYSTAL PULLING SYSTEM   | sumitomo mitsubishi silicon corporation  |
| <a href="#">2003266544</a> | SEMICONDUCTOR CRYSTAL OF GROUP III-V COMPOUND  | mitsubishi chemical corporation  |
| <a href="#">2003266574</a> | Wide area lan system and layer 2 mobile network  | Mitsubishi Denki Kabushiki Kaisha ;<br>Communications Research Laboratory,<br>Independent Administrative Institution |
| <a href="#">2003266550</a> | OIL-BASED INK COMPOSITION FOR BALLPOINT PEN USING OIL-BASED INK  | mitsubishi pencil co., ltd.  |
| <a href="#">2003266551</a> | OIL-BASED INK COMPOSITION FOR BALLPOINT PEN AND BALLPOINT PEN USING OIL-BASED INK  | mitsubishi pencil co., ltd.  |
| <a href="#">2003266705</a> | Title not given  | mitsubishi pharma corporation  |
| <a href="#">2003268115</a> | ELECTROSTATIC TONER COMPOSITION TO ENHANCE COPY QUALITY BY IMPROVED FUSING AND METHOD OF MANUFACTURING SAME  | mitsubishi chemical america, inc.  |
| <a href="#">2003268646</a> | POLYURETHANE RESIN AND ELASTIC POLYURETHANE FIBER  | mitsubishi chemical corporation  |
| <a href="#">2003268652</a> | IMPROVED CONTINUOUS CRYSTALLIZATION METHOD   | mitsubishi chemical corporation  |
| <a href="#">2003268736</a> | OPTICAL RECORDING MEDIUM   | mitsubishi chemical corporation  |
| <a href="#">2003267817</a> | CHEMOCHROMIC SENSOR AND METHOD FOR SENSING A CHEMOCHROMIC REAGENT AND TEST MATERIAL  | mitsubishi denki kabushiki kaisha  |
| <a href="#">2003268657</a> | Layer 2 mobile network   | Mitsubishi Denki Kabushiki Kaisha ;<br>Communications Research Laboratory,<br>Independent Administrative Institution |
| <a href="#">2003268658</a> | Hierarchical layer 2 network   | Mitsubishi Denki Kabushiki Kaisha ;<br>Communications Research Laboratory,<br>Independent Administrative Institution |
| <a href="#">2003268757</a> | CAD SYSTEM AND CAD PROGRAM   | mitsubishi heavy industries  |
| <a href="#">2003268724</a> | Isoquinoline compounds and medicinal use thereof   | Mitsubishi Pharma Corporation  |
| <a href="#">2003268703</a> | PRESSURIZED STEAM-JETTING NOZZLE, AND METHOD AND APPARATUS FOR PRODUCING NONWOVEN FABRIC USING THE NOZZLE  | mitsubishi rayon engineering co.,ltd.  |
| <a href="#">2003271059</a> | CARBONACEOUS FIBER FABRIC, ROLL OF CARBONACEOUS FIBER FABRIC, GAS DIFFUSION LAYER MATERIAL FOR SOLID POLYMER FUEL CELL, METHOD FOR PRODUCTION OF CARBONACEOUS FIBER FABRIC, AND METHOD FOR PRODUCTION OF SOLID POLYMER FUEL CELL | mitsubishi chemical corporation  |
| <a href="#">2003271156</a> | THERMOPLASTIC RESIN COMPOSITION AND MOLDING THEREOF  | mitsubishi chemical corporation  |

| Number                     | Title   | Owner  |
|----------------------------|---|--|
| <a href="#">2003271177</a> | CORE FOR CORRUGATED PAPER MATERIAL AND CORRUGATED PAPER SHEET, AND STEPPED ROLL FOR PRODUCING CORE FOR CORRUGATED PAPER MATERIAL, DEVICE FOR PRODUCING CORE FOR CORRUGATED PAPER MATERIAL, DEVICE FOR PRODUCING CORRUGATED PAPER SHEET AND METHOD OF PRODUCING CORE FOR CORRUGATED PAPER MATERIAL | MITSUBISHI HEAVY INDUSTRIES, LTD.                          |
| <a href="#">2003271093</a> | ANTIGEN RECOGNIZING ANTIBODY  | MITSUBISHI PHARMA CORPORATION                              |
| <a href="#">2003271139</a> | Method of RTM molding   | Toray Industries, Inc. ; Mitsubishi Heavy Industries, Ltd. |
| <a href="#">2003272899</a> | ADDITIVE TO NEGATIVE ELECTRODE MATERIAL FOR LITHIUM SECONDARY BATTERY, NEGATIVE ELECTRODE MATERIAL FOR LITHIUM SECONDARY BATTERY AND, USING THE NEGATIVE ELECTRODE MATERIAL FOR LITHIUM SECONDARY BATTERY, NEGATIVE ELECTRODE AND LITHIUM SECONDARY BATTERY                                       | MITSUBISHI CHEMICAL CORPORATION                            |
| <a href="#">2003273018</a> | TONER FOR DEVELOPING ELECTROSTATIC CHARGE IMAGE AND PROCESS FOR PRODUCING THE SAME  | MITSUBISHI CHEMICAL CORPORATION                            |
| <a href="#">2003273023</a> | PARTS FOR VEHICLE   | MITSUBISHI RAYON CO., LTD.                                 |
| <a href="#">2003273584</a> | POLYCARBONATE-BASED RESIN COMPOSITION FOR EXTRUSION USING SIZING DIE AND MOLDED ARTICLE   | MITSUBISHI ENGINEERINGPLASTICS CORPORATION                 |
| <a href="#">2003275715</a> | POLYESTER RESIN, POLYESTER RESIN COMPOSITION, SHEET OR FILM OBTAINED THEREFROM AND HOLLOW MOLDED CONTAINER  | MITSUBISHI CHEMICAL CORPORATION                            |
| <a href="#">2003275565</a> | IRON BASE SINTERED ALLOY, IRON BASE SINTERED ALLOY MEMBER, METHOD FOR PRODUCTION THEREOF, AND OIL PUMP ROTOR  | MITSUBISHI MATERIALS CORPORATION                           |
| <a href="#">2003275685</a> | INK FOLLOWING ELEMENT   | MITSUBISHI PENCIL CO.,LTD.                                 |
| <a href="#">2003275632</a> | N-OXIDE COMPOUNDS   | MITSUBISHI PHARMA CORPORATION                              |
| <a href="#">2003275707</a> | AGENT FOR ALLEVIATION OF FUNCTIONAL DISORDER AFTER CARDIOPULMONARY RESUSCITATION  | MITSUBISHI PHARMA CORPORATION                              |
| <a href="#">2003275580</a> | RESIN COMPOSITION AND MOLDED OBJECT FORMED FROM THE RESIN COMPOSITION   | MITSUBISHI PLASTICS, INC.                                  |
| <a href="#">2003277506</a> | PROCESS FOR PRODUCING ALKYLENE CARBONATE  | MITSUBISHI CHEMICAL CORPORATION                            |
| <a href="#">2003277526</a> | ADDITIVE TO POSITIVE ELECTRODE MATERIAL FOR LITHIUM SECONDARY BATTERY, POSITIVE ELECTRODE MATERIAL FOR LITHIUM SECONDARY BATTERY AND, PREPARED FROM THE POSITIVE ELECTRODE MATERIAL, POSITIVE ELECTRODE AND LITHIUM SECONDARY BATTERY   | MITSUBISHI CHEMICAL CORPORATION                            |
| <a href="#">2003277605</a> | RADIATION CURING RESIN COMPOSITION AND CURED PRODUCT THEREOF  | MITSUBISHI CHEMICAL CORPORATION                            |



| Number                     | Title   | Owner                                    |
|----------------------------|---|--|
| <a href="#">2003277611</a> | MAGNETIC PARTICLE COLLECTING<br>MAGNETIC FORCE BODY AND ITS USE   | MITSUBISHI KAGAKU IATRON, INC.           |
| <a href="#">2003280566</a> | NONAQUEOUS ELECTROLYTIC SOLUTION<br>AND NONAQUEOUS ELECTROLYTE<br>SECONDARY BATTERY CONTAINING THE<br>SAME  | MITSUBISHI CHEMICAL CORPORATION          |
| <a href="#">2003280574</a> | METHOD FOR PRODUCING POLYETHER<br>POLYOL  | MITSUBISHI CHEMICAL CORPORATION          |
| <a href="#">2003280653</a> | METHOD AND DEVICE FOR STEERING<br>VEHICLE HAVING NO CONTACT WITH<br>TRACK   | MITSUBISHI HEAVY INDUSTRIES, LTD.        |
| <a href="#">2003280650</a> | ROOM-TEMPERATURE-FORMABLE<br>MAGNESIUM ALLOY WITH EXCELLENT<br>CORROSION RESISTANCE   | MITSUBISHI STEEL MFG. CO., LTD.          |
| <a href="#">2003280692</a> | ELECTROLYTE FOR ELECTROLYTIC<br>CAPACITOR, ELECTROLYTIC CAPACITOR<br>AND PROCESS FOR PRODUCING<br>TETRAFLUOROALUMINATE SALT OF<br>ORGANIC ONIUM                             | MITSUBISHI CHEMICAL CORPORATION          |
| <a href="#">2003280748</a> | METHOD FOR PRODUCING FLUORINE-<br>CONTAINING LITHIUM COMPOUND   | MITSUBISHI CHEMICAL CORPORATION          |
| <a href="#">2003280809</a> | PROCESS FOR PRODUCING TEREPHTHALIC<br>ACID  | MITSUBISHI CHEMICAL CORPORATION          |
| <a href="#">2003281227</a> | ALIPHATIC POLYESTER POLYETHER<br>COPOLYMER, PROCESS FOR PRODUCING<br>THE SAME AND ALIPHATIC POLYESTER<br>COMPOSITION USING THE COPOLYMER                                    | MITSUBISHI CHEMICAL CORPORATION          |
| <a href="#">2003280848</a> | Communication system, transmission device,<br>reception device, and data communication method   | Mitsubishi Denki Kabushiki Kaisha        |
| <a href="#">2003281149</a> | COATING HEAD  | MITSUBISHI HITEC PAPER FLENSBURG<br>GMBH |
| <a href="#">2003280845</a> | METHOD FOR FORMING COMPACT FROM<br>POWDER AND MOLD APPARATUS FOR<br>POWDER FORMING  | MITSUBISHI MATERIALS CORPORATION         |
| <a href="#">2003280798</a> | PROCESS FOR PRODUCING 2-(BIS(2,2,2-<br>TRIFLUOROETHYL)PHO<br>SPHONYLMETHOXY)ETHYL HALIDE  | MITSUBISHI PHARMA CORPORATION            |
| <a href="#">2003280799</a> | MEDICINAL COMPOSITION   | MITSUBISHI PHARMA CORPORATION            |
| <a href="#">2003281362</a> | BIODEGRADABLE SHEET, MOLDED OBJECT<br>OBTAINED FROM THE SHEET, AND<br>PROCESS FOR PRODUCING THE MOLDED<br>OBJECT  | MITSUBISHI PLASTICS, INC.                |
| <a href="#">2002368118</a> | INTERNET COMMUNICATION SYSTEM,<br>INTERNET COMMUNICATION METHOD,<br>SESSION MANAGEMENT SERVER, RADIO<br>COMMUNICATION DEVICE,<br>COMMUNICATION RELAY SERVER, AND<br>PROGRAM | MITSUBISHI DENKI KABUSHIKI KAISHA        |
| <a href="#">2003284673</a> | METHOD FOR PRODUCING OXIDATION-<br>RESISTANT HYDROGENATED FULLERENE<br>AND HYDROGENATED FULLERENE<br>PRODUCED THEREBY   | MITSUBISHI CHEMICAL CORPORATION          |
| <a href="#">2004201012</a> | Satellite communication system, base station and<br>mobile station  | Mitsubishi Denki Kabushiki Kaisha        |
| <a href="#">2003284632</a> | ISOQUINOLINE COMPOUNDS AND<br>MEDICINAL USE THEREOF   | MITSUBISHI PHARMA CORPORATION            |



| Number                     | Title  | Owner   |
|----------------------------|--|---|
| <a href="#">2003284550</a> | STEEL FOR SPRING BEING IMPROVED IN QUENCHING CHARACTERISTICS AND RESISTANCE TO PITTING CORROSION                                   | MITSUBISHI STEEL MFG. CO., LTD.                       |
| <a href="#">2003289035</a> | PLATE TYPE CATALYTIC REACTION OVEN   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289077</a> | OPTICAL RECORDING MEDIUM, OPTICAL RECORDING MEDIUM RECORDING/REPRODUCTION METHOD, AND RECORDING/REPRODUCTION DEVICE                | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289078</a> | OPTICAL RECORDING METHOD   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289079</a> | OPTICAL RECORDING MEDIUM, METHOD RECORDING OPTICAL RECORDING MEDIUM, AND RECORDER  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289211</a> | ELECTROPHOTOGRAPHIC PHOTORECEPTOR  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289298</a> | METHOD OF FEEDING SOLUTION OF CRUDE TEREPHTHALIC ACID TO REACTOR   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289328</a> | ELECTROPHOTOGRAPHIC PHOTORECEPTOR AND, INCLUDING THE ELECTROPHOTOGRAPHIC PHOTORECEPTOR, DRUM CARTRIDGE AND IMAGE FORMING APPARATUS | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289358</a> | RECORDING LIQUID   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289407</a> | NONAQUEOUS ELECTROLYTE SECONDARY BATTERY-USE CATHODE AND NONAQUEOUS ELECTROLYTE SECONDARY BATTERY                                  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289482</a> | PROCESS FOR PRODUCING HIGH PURITY TEREPHTHALIC ACID  | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289485</a> | POLYBUTYLENE TEREPHTHALATE AND METHOD FOR PRODUCTION THEREOF, AND COMPOSITION COMPRISING THE SAME AND FILM                         | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003289494</a> | COOLING STRUCTURE OF GAS TURBINE TAIL PIPE   | MITSUBISHI HEAVY INDUSTRIES, LTD.                     |
| <a href="#">2003288116</a> | HEAT-SENSITIVE PRINTING MATERIAL AND USE THEREOF   | MITSUBISHI HITEC PAPER FLENSBURG GMBH                 |
| <a href="#">2003289488</a> | RADIUS END MILL  | MITSUBISHI MATERIALS KOBE TOOLS CORPORATION           |
| <a href="#">2003285777</a> | 3-substituted-4-pyrimidone derivatives   | Sanofi-Aventis ; Mitsubishi Tanabe Pharma Corporation |
| <a href="#">2003289455</a> | METHOD OF PROTECTING THIOL GROUP OF PROTEIN  | MITSUBISHI PHARMA CORPORATION                         |
| <a href="#">2001230541</a> | Refrigerating cycle device, air conditioner, choke, and flow rate controller   | Mitsubishi Denki Kabushiki Kaisha                     |
| <a href="#">2003290909</a> | METHOD OF PRODUCING SILICON MONOCRYSTAL  | SUMITOMO MITSUBISHI SILICON CORPORATION               |
| <a href="#">2003292692</a> | OPTICAL INFORMATION RECORDING MEDIUM AND OPTICAL INFORMATION RECORDING MEDIUM MANUFACTURING METHOD                                 | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003292693</a> | OPTICAL INFORMATION RECORDING MEDIUM   | MITSUBISHI CHEMICAL CORPORATION                       |
| <a href="#">2003292740</a> | PROCESS FOR PRODUCING AROMATIC CARBOXYLIC ACID AND PROCESS FOR PRODUCING TEREPHTHALIC ACID   | MITSUBISHI CHEMICAL CORPORATION                       |

| Number                     | Title   | Owner  |
|----------------------------|---|--|
| <a href="#">2003292741</a> | PROCESS FOR PRODUCING AROMATIC CARBOXYLIC ACID  | mitsubishi chemical corporation  |
| <a href="#">2003292742</a> | METHOD OF CENTRIFUGAL SEPARATION OF SLURRY CONTAINING AROMATIC CARBOXYLIC ACID  | mitsubishi chemical corporation  |
| <a href="#">2003292831</a> | METHOD FOR PRODUCING HIGH PURITY TEREPHTHALIC ACID  | mitsubishi chemical corporation  |
| <a href="#">2004201468</a> | Transmitting/receiving terminal apparatus   | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2003296189</a> | GROOVING CUTTING TOOL AND THROW-AWAY TIP  | mitsubishi materials corporation   |
| <a href="#">2003296130</a> | SLURRY COMPOSITION FOR CHEMICAL MECHANICAL POLISHING, METHOD FOR PLANARIZATION OF SURFACE OF SEMICONDUCTOR ELEMENT USING THE SAME, AND METHOD FOR CONTROLLING SELECTION RATIO OF SLURRY COMPOSITION | SUMITOMO MITSUBISHI SILICON CORPORATION  |
| <a href="#">2002368247</a> | ELECTROPHOTOGRAPHIC TRANSFER SHEET  | mitsubishi paper mills limited   |
| <a href="#">2002239060</a> | Electronic watt-hour meter and power-associated quantity calculating circuit  | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2004201837</a> | Multilayer container  | Mitsubishi Gas Chemical Company, Inc.  |
| <a href="#">2004201901</a> | Fuel-barrier polyamide resin and multilayer shaped article  | Mitsubishi Gas Chemical Company, Inc.  |
| <a href="#">2003301328</a> | VARIABLE-NOZZLE MECHANISM, EXHAUST TURBOCHARGER EQUIPPED THEREWITH, AND METHOD OF MANUFACTURING EXHAUST TURBOCHARGER WITH THE VARIABLE-NOZZLE MECHANISM   | JINNAI, Yasuaki ; EBISU, Motoki ; MITSUBISHI HEAVY INDUSTRIES, LTD. ; SHIRAISHI, Takashi   |
| <a href="#">2003301398</a> | HEPATIC FIBROSIS INHIBITOR  | mitsubishi pharma corporation  |
| <a href="#">2003301326</a> | METHOD OF MEASURING POINT DEFECT DISTRIBUTION OF SILICON SINGLE CRYSTAL INGOT   | SUMITOMO MITSUBISHI SILICON CORPORATION  |
| <a href="#">2001234123</a> | Plastic container for liquid medicine   | Mitsubishi Shoji Plastics Corporation  |
| <a href="#">2004202264</a> | Masterbatch and production method of oxygen-absorbing molded article  | Mitsubishi Gas Chemical Company, Inc.  |
| <a href="#">2001269453</a> | Electronic trading server, seller client, buyer client, and electronic trading method   | Fujitsu Limited ; Sumitomo Corporation ; Mitsubishi Corporation ; NTT Communications Corporation ; Information-technology Promotion Agency |
| <a href="#">2001284475</a> | Phase modulator and phase modulating method   | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2002234934</a> | Air conditioner   | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2004202567</a> | Refrigerating cycle apparatus   | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2002218471</a> | Dust collecting filter, dust collecting device, and air intake device for gas turbine   | Mitsubishi Heavy Industries, Ltd.  |
| <a href="#">2004202659</a> | Batchwise heating apparatus   | Mitsubishi Gas Chemical Company, Inc.  |
| <a href="#">2002368382</a> | Controller of AC generator for vehicle  | Mitsubishi Denki Kabushiki Kaisha  |
| <a href="#">2003302581</a> | MILK BEVERAGE CONTAINING SUCROSE FATTY ACID ESTER AND POLYGLYCEROL FATTY ACID ESTER   | mitsubishi chemical corporation  |
| <a href="#">2003302637</a> | METHOD FOR PRODUCING ALCOHOL  | mitsubishi chemical corporation  |
| <a href="#">2003302638</a> | METHOD FOR PRODUCING ALCOHOL  | mitsubishi chemical corporation  |

| Number                     | Title   | Owner                                       |
|----------------------------|---|---|
| <a href="#">2003303050</a> | EMULSION STABILIZER COMPRISING SUCROSE FATTY ACID ESTER, POLYGLYCEROL FATTY ACID ESTER, AND SORBITAN FATTY ACID ESTER, AND MILK BEVERAGES CONTAINING THE SAME   | MITSUBISHI CHEMICAL CORPORATION             |
| <a href="#">2004208726</a> | Air filter and air conditioner  | Mitsubishi Denki Kabushiki Kaisha           |
| <a href="#">2003303885</a> | SEMICONDUCTOR SUBSTRATE, FIELD-EFFECT TRANSISTOR, AND THEIR PRODUCTION METHODS  | SUMITOMO MITSUBISHI SILICON CORPORATION     |
| <a href="#">2003303886</a> | METHOD FOR INSPECTION, PROCESS FOR MAKING ANALYTIC PIECE, METHOD FOR ANALYSIS, ANALYZER, PROCESS FOR PRODUCING SOI WAFER, AND SOI WAFER   | SUMITOMO MITSUBISHI SILICON CORPORATION     |
| <a href="#">2001284435</a> | Optical signal transmitter and optical signal transmitting method   | Mitsubishi Denki Kabushiki Kaisha           |
| <a href="#">2001234175</a> | Novel cyclic amide derivatives  | Mitsubishi Pharma Corporation               |
| <a href="#">2004218600</a> | Active sound reduction apparatus and active noise insulation wall having same   | Mitsubishi Heavy Industries, Ltd.           |
| <a href="#">2004222793</a> | Solar cell and process for producing solar cell   | Mitsubishi Heavy Industries, Ltd.           |
| <a href="#">2001264246</a> | Edge insulating member for electrode plate, method of locking and unlocking the edge insulating member, and edge insulating member installation jig   | Mitsubishi Materials Corporation            |
| <a href="#">2004237811</a> | Quad-directional-lead flat-package IC mounting printed circuit board, method of soldering quad-directional-lead flatpackage IC, and air conditioning apparatus with quad-directional-lead flatpackage IC-mounting printed circuit board | Mitsubishi Denki Kabushiki Kaisha           |
| <a href="#">2004242440</a> | Fuel barrier thermoplastic resin composition and shaped article   | Mitsubishi Gas Chemical Company, Inc.       |
| <a href="#">2004242542</a> | Air conditioning apparatus  | Mitsubishi Denki Kabushiki Kaisha           |
| <a href="#">2005200023</a> | Photovoltaic device   | Mitsubishi Heavy Industries, Ltd.           |
| <a href="#">2005200366</a> | Aliphatic polyamide resin-based heatshrinkable film   | Mitsubishi Engineering-Plastics Corporation |
| <a href="#">2005200540</a> | Axial-flow pump   | Mitsubishi Heavy Industries, Ltd.           |
| <a href="#">2005200581</a> | Photoelectric conversion device   | Mitsubishi Heavy Industries, Ltd.           |

---

# Terms and Conditions

## General

The information provided in this report is not in the nature of legal or other professional advice.

The information provided in this report is derived from third parties and may contain errors. You must make your own enquiries and seek independent advice from the relevant industry professionals regarding any information in this report.

Patents, patent applications, trademarks and trademark applications shown as lapsed or ceased may be restored at a later date.

## Disclaimer of warranty and limitation of liability

Neither IPMonitor, its affiliates nor any of their respective employees, agents, third party content providers or licensors warrant that the information contained in this report is error free; nor do they make any warranty as to the accuracy, reliability or content of any information in this report.

This report is provided on an "as is" basis; to the maximum extent permitted by law, IPMonitor disclaims all representations and warranties, express or implied, with respect to any information contained in this report. In addition, IPMonitor does not represent or warrant that the information contained in this report is accurate, complete or current.

This disclaimer of liability applies to any damages or injury caused by any failure of performance, error, omission, interruption, deletion, defect, delay in operation or transmission, computer virus, communication line failure, theft or destruction or unauthorized access to, alteration of, or use of record, whether for breach of contract, tortious behavior, negligence, or under any other cause of action.

## Copyright

The content of this report may be protected by copyright laws and treaties around the world and all rights relating to the same are reserved. Any paper or digital copies of this report are not to be modified or any illustrations or any graphics used separately from any accompanying text.

## Arbitration

Any dispute or difference whatsoever arising out of or in connection with this report shall be submitted to arbitration in accordance with, and subject to, The Institute of Arbitrators & Mediators Australia Rules for the Conduct of Commercial Arbitrations.

IPMonitor reserves the right to update the Terms and Conditions at any time without notice. Please see the full Terms and Conditions at [www.IPMonitor.com.au/trademarks/info/terms](http://www.IPMonitor.com.au/trademarks/info/terms)